

Schedule of Accreditation



Organisation Name	Claymon Laboratories trading as Biomnis Ireland
INAB Reg No	159MT
Contact Name	Brid Muimneach
Address	Three Rock Road, Sandyford Business Estate, Dublin 18, Dublin, Dublin
Contact Phone No	01 295 8545
Email	brid.muimneach@biomnis.ie
Website	http://www.biomnis.ie
Accreditation Standard	ISO 15189
Date Initially Awarded	14/02/2005
Scope Classification	Microbiology and virology
Scope Classification	Haematology
Scope Classification	Immunology
Scope Classification	Chemical pathology
Scope Classification	Genetics

Services available to the public¹

¹ Refer to document on interpreting INAB Scopes of Accreditation

Sites from which accredited services are delivered	
(the detail of the accredited services delivered at each site are on the Scope of Accreditation)	
Name	Address
1 Head Office	Three Rock Road, Sandyford Business Estate, Dublin, D18

Scope of Accreditation

Head Office

Chemical Pathology

Category: A

Medical pathology field - Test	Test/assay	Specimen Type	Technique	Equipment	
1061 Clinical Chemistry - .01 Analytes in general use in cardiac, liver function, lipid, renal and other profiles and metabolic studies	Alanine Amino Transferase (ALT) **1, 2, 4	Serum, EDTA, Heparin Plasma	TRIS buffer without PLP	Architect c8000	
	Albumin **1, 2, 4	Serum, Heparin Plasma	BCG	Architect c8000	
	Albumin / Globulin ratio **1, 2, 4		Calculation		
	Albumin/ Creatinine Ratio **1, 2, 4		Calculation		
	Alkaline Phosphatase (ALP) **1, 2, 4	Serum, Heparin Plasma	AMP buffer not IFCC	Architect c8000	
	Alpha 1-AntiTrypsin	Serum, plasma (EDTA, Na-heparin, citrate)	Immunoturbidimetry	Architect c8000	
	Amylase **1, 2, 4	Serum, Heparin Plasma	G3 Substrate	Architect c8000	
	Aspartate Aminotransferase (AST) **1, 2, 4	Serum, Heparin (Na or Li) Plasma	TRIS buffer without PLP	Architect c8000	
	Calcium **1, 2, 4	Serum, Heparin Plasma	Arsenazo III	Architect c8000	
	Carbon Dioxide (CO ₂) **1, 2, 4		PEP Carboxylase	Architect c8000	
	Ceruloplasmin	Serum, plasma (EDTA, Li-heparin)	Immunoturbidimetry	Architect c8000	
	Chloride (Cl) **1, 2, 4	Serum, Heparin Plasma	Ion-selective electrode diluted (Indirect)	Architect c8000	
	Cholesterol **1, 2, 4		Cholesterol esterase/oxydase	Architect c8000	
	Corrected Calcium **1, 2, 4		Calculation		
	Creatinine **1, 2, 4	Serum, EDTA, Heparin Plasma, Urine		Kinetic Jaffe	Architect c8000
		Urine		Jaffe	AU640
	Gamma Glutamyl Transferase (GGT) **1, 2, 4	Serum, Heparin (Na or Li) Plasma		L-Gamma-glutamyl-3-carboxy-4-nitroanilide Substrate	Architect c8000

	Globulins **1, 2, 4		Calculated	Architect c8000
	Glucose **1, 2, 4	Sodium Fluoride	Hexokinase + G6PD	Architect c8000
	HDL **1, 2, 4	Serum, EDTA, Heparin Plasma	Accelerator Selective Detergent	Architect c8000
	High Sensitivity C Reactive protein (hsCRP) **1, 2, 4	Serum, Heparin (Na or Li) Plasma	Immunoturbidimetric	Architect c8000
	Homocysteine **1, 2, 4	Serum, EDTA, Li Hep, Heparin Plasma	Microparticle Enzyme Immunoassay	Architect i2000
	Iron **1, 2, 4	Serum	Ferene	Architect c8000
	Lactate DeHydrogenase (LDH) **1, 2, 4	Serum, Heparin (Na or Li) Plasma	Lactate to Pyruvate (NADH)	Architect c8000
	LDL **1, 2, 4	Serum, EDTA, Heparin Plasma	Measured, Liquid Selective Detergent	Architect c8000
	Lipase **1, 2, 4	Serum	Quinone Dye	Architect c8000
	Lipoprotein a (Lp(a)) **1, 2, 4	Serum, EDTA, Heparin Plasma	Immunoturbidimetric	Architect c8000
	Magnesium **1, 2, 4	Serum, Heparin Plasma	Arsenazo III	Architect c8000
	Microalbumin **1, 2, 4	Urine	Immunoturbidimetric	Architect c8000
	Phosphate **1, 2, 4	Serum, Heparin Plasma	Phosphomolybdate UV	Architect c8000
	Potassium (K) **1, 2, 4		Ion-selective electrode diluted (Indirect)	Architect c8000
	Sodium (Na) **1, 2, 4		Ion-selective electrode diluted (Indirect)	Architect c8000
	Total Bile Acids **1, 2, 4		Enzymatic / Colorimetric	Architect c8000
	Total Bilirubin **1, 2, 4	Serum, EDTA, Heparin Plasma	Diazo	Architect c8000
	Total Protein **1, 2, 4	Serum, Heparin (Na or Li) Plasma	Biuret	Architect c8000
	Triglycerides **1, 2, 4		Glycerol Phosphate Oxidase	Architect c8000
	Urea **1, 2, 4		Kinetic Urease	Architect c8000
	Uric Acid **1, 2, 4		Endpoint Uricase	Architect c8000
	Urinary Total Protein		Urine	Benzethonium Chloride
1061 Clinical Chemistry - .02 Proteins, quantitative analysis	Sex hormone Binding Globulin **1, 2, 4	Serum, Plasma, Heparin (Li)	Chemiluminiscent Microparticle ImmunoAssay (CMIA)	Architect i2000
1061 Clinical Chemistry - .10 Drugs for therapeutic monitoring	Amikacin **1, 2, 4	Serum, Heparin Plasma, EDTA Plasma	Particle-enhanced turbidimetric immunoassay (PETIA)	Architect i2000
	Digoxin **1, 2, 4	Serum, Plasma, Heparin (Li)	Particle-enhanced turbidimetric immunoassay (PETIA)	Architect c8000
	Gentamicin **1, 2, 4	Serum, Heparin Plasma, EDTA Plasma	Particle-enhanced turbidimetric inhibition immunoassay	Architect i2000

			(PETINIA)	
	Tacrolimus **1, 2, 4	Whole Blood	Chemiluminescent Microparticle ImmunoAssay (CLIA)	Architect i2000
	Tobramycin **1, 2, 4	Serum, Heparin Plasma, EDTA Plasma	Particle-enhanced turbidimetric inhibition immunoassay (PETINIA)	Architect i2000
	Valproic Acid **1, 2, 4	Serum, EDTA, Heparin Plasma	Fluorescence Polarisation Immunoassay	Architect c8000
	Vancomycin **1, 2, 4		Fluorescence Polarisation Immunoassay	Architect c8000
1061 Clinical Chemistry - .14 Alcohol for non-legal purposes	Ethanol **1, 2, 4	Urine	DRI	AU640
1061 Clinical Chemistry - .15 Drugs for toxicological purposes	6-Acetyl Morphine **1, 2, 4		CEDIA	AU640
	Amphetamine **1, 2, 4	Oral Fluid	CEDIA	AU640
	Amphetamine/Ecstasy **1, 2, 4	Urine	CEDIA	AU640
	Benzodiazepines **1, 2, 4	Oral Fluid	CEDIA	AU640
		Urine	CEDIA	AU640
	Cannabis **1, 2, 4	Oral Fluid	CEDIA	AU640
	Cannabis Metabolites **1, 2, 4	Urine	CEDIA	AU640
	Cocaine **1, 2, 4	Oral Fluid	CEDIA	AU640
		Urine	CEDIA	AU640
	EDDP **1, 2, 4		CEDIA	AU640
	Methadone **1, 2, 4	Oral Fluid	CEDIA	AU640
	Opiates **1, 2, 4		CEDIA	AU640
			Urine	CEDIA
1061 Clinical Chemistry - .20 Hormones	Cortisol **1, 2, 4	Serum, EDTA, Heparin Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	C-Peptide **1, 2, 4	Serum, Heparin Plasma, EDTA Plasma, Citrate Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Dehydroepiandrosterone Sulphate (DHEAS) **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Follicle Stimulating Hormone (FSH) **1, 2, 4	Serum, EDTA, Heparin Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Free Thyroxin (FT4) **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000

	Free Triiodothyronine (FT3) **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Insulin **1, 2, 4	Serum, EDTA Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Luteinising Hormone (LH) **1, 2, 4	Serum, EDTA, Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Oestradiol **1, 2, 4	Serum, EDTA, Heparin (Li) Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Parathyroid Hormone (PTH) **1, 2, 4	Serum, EDTA, Heparin (Li, Na) Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Progesterone **1, 2, 4	Serum, EDTA, Heparin Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Prolactin **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Testosterone **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Thyrotropine (Thyroid Stimulating Hormone, TSH) **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Urinary Cortisol	Urine	Chemiluminescent microparticle immunoassay (CMIA)	Architect i2000
1061 Clinical Chemistry - .40 Iron studies	Coefficient of saturation **1, 2, 4		Calculation	
	Ferritin **1, 2, 4	Serum, EDTA, Heparin (Li) Plasma	Serum, EDTA, Heparin (Li) Plasma	Architect c8000
	TIBC **1, 2, 4		Calculation	
	Transferrin **1, 2, 4	Serum, EDTA, Heparin Plasma	Immunoturbidimetric	Architect c8000
	Unsaturated Iron Binding Capacity (UIBC) **1, 2, 4	Serum, Heparin Plasma	Ferene	Architect c8000
1061 Clinical Chemistry - .45 Vitamin B12 and folate	Folate **1, 2, 4	Serum, Heparin (Li) Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Vitamin B12 **1, 2, 4	Serum, EDTA Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
1061 Clinical Chemistry - .47 Vitamin assays	25OH Vitamin D **1, 2, 4	Serum, Heparin Plasma, EDTA Plasma, Citrate Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000

1061 Clinical Chemistry - .50 Protein and peptide tumour markers	AlphaFetoProtein (AFP) **1, 2, 4	Serum, EDTA, Heparin (Li, Na) Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	CarcinoEmbryonic Antigen (CEA) **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Carcinomic Antigen 125 (CA 125) **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Carcinomic Antigen 153 (CA 153) **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Carcinomic Antigen 199 (CA 199) **1, 2, 4		Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
	Total prostate Specific Antigen (total PSA) **1, 2, 4	Serum	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
1061 Clinical Chemistry - .61 Hb A1c	Glycated Haemoglobin (HbA1c) **1, 2, 4	Whole blood	Enzymatic	Architect c8000
1061 Clinical Chemistry - .65 Pregnancy tests – qualitative	Beta Human Chorionic Gonadotrophin (Beta HCG) **1, 2, 4	Serum, EDTA, Heparin Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
1061 Clinical Chemistry - .80 Quantitative investigation of immunoglobulins G, A, M and in body fluids	ImmunoGlobulin A (IgA) **1, 2, 4		Immunoturbidimetric	Architect c8000
	ImmunoGlobulin G (IgG) **1, 2, 4		Immunoturbidimetric	Architect c8000
	ImmunoGlobulin M (IgM) **1, 2, 4	Immunoturbidimetric	Architect c8000	
1061 Clinical Chemistry - .81 Qualitative investigation of immunoglobulins G, A, M and in body fluids	Quantitative investigation of immunoglobulins G, A, M. in body fluids **1, 2, 4	Serum	Capillary Electrophoresis	Sebia Minicap
	Qualitative investigation of immunoglobulins G, A, M in body fluids **1, 2, 4		Immunofixation	Sebia Hydrasys
1061 Clinical Chemistry - .82 Total IgE	Immunoglobulin E (Total IgE) **1, 2, 4	Serum, EDTA, Heparin Plasma	Immunoturbidimetric	Architect c8000
1061 Clinical Chemistry - .83 Rheumatoid factor – quantitative assays	Rheumatoid Factor (RF) **1, 2, 4	Serum	Immunoturbidimetric	Architect c8000
1061 Clinical Chemistry - .84 Anti-thyroid microsomal antibodies	Anti-Thyroid Peroxidase (Anti-TPO) **1, 2, 4	Serum, EDTA, Heparin (li, Na) Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000
1061 Clinical Chemistry - .85 Anti-thyroglobulin antibodies	Anti-Thyroglobulin (Anti- Tg) **1, 2, 4	Serum, EDTA, Heparin (Li) Plasma	Chemiluminescent Microparticle ImmunoAssay (CMIA)	Architect i2000

1061 Clinical Chemistry - .86 C3 and C4	C3 **1, 2, 4	Serum, Heparin Plasma	Immunoturbidimetric	Architect c8000
	C4 **1, 2, 4		Immunoturbidimetric	Architect c8000
1061 Clinical Chemistry - .88 b2-microglobulin	B 2 Microglobulin **1, 2, 4	Serum, EDTA, Heparin Plasma	Microparticle Enzyme Immunoassay	Architect c8000
1061 Clinical Chemistry - .99 Miscellaneous tests	pH **1, 2, 4	Urine	DRI	AU640

The laboratory has been awarded flexible scope in the P9 categories as noted in the scope document and in accordance with the laboratories approved and documented procedures.

Note 1 - Range may be extended for the test

Note 2 – New parameters / tests may be added

Note 3 – New matrices may be added

Note 4 – Changes to equipment / kits where the underlying methodology does not change

For further details please refer to the laboratories 'Master list of Flexible scope changes', available directly from the laboratory.

Medical pathology field - Test	Test/assay	Specimen Type	Technique	Equipment
1076 Molecular pathology - .01 Assay for somatic variants in DNA sequence(s)	Identification of the C282Y and H63D in the HFE human gene	EDTA Whole blood	Real time PCR	Maxwell 16 / Applied Biosystem7500

Medical pathology field - Test	Test/assay	Specimen Type	Technique	Equipment
1030 Haematology - .01 Blood counts	Haematocrit **1, 4	EDTA Whole Blood	Calculated from the RBC & MCV	Sysmex XE2100D
	Haemoglobin **1, 4		CyanmethHb colorimetric method	Sysmex XE2100D
	MCH **1, 4		Calculation derived from HGB, RBC & MCV	Sysmex XE2100D
	MCHC **1, 4		FC laser optics. Utilizing RBC channel/Mie group	Sysmex XE2100D
	Mean Cell Volume **1, 4		Indirect Measurement (mean of the RBC Vol)	Sysmex XE2100D
	Red Cell Count **1, 4		FC laser optics. Mie's theory	Sysmex XE2100D
	White Cell Count **1, 4		Flow Cytometry (FC)	Sysmex XE2100D
1030 Haematology - .02 Visual examination of blood films	Blood Film & White Cell Differential. Includes Neutrophils, Lymphocytes, Monocytes, Eosinophils, Basophils Leucocytes **4		Staining/ Microscopy	Manual
1030 Haematology - .03 Erythrocyte sedimentation rate	Erythrocyte Sedimentation Rate (ESR) **1, 4		Photo-Metric Kinetic Technology	Micro Test 1
1030 Haematology - .05 Automated differential leucocyte counts	Basophil Count **1, 4		Indirect Measurement of WBC by algorigrams/ cluster analysis	Sysmex XE2100D
	Eosinophil Count **1, 4		Indirect Measurement of WBC by algorigrams/ cluster analysis	Sysmex XE2100D
	Lymphocyte Count **1, 4		Indirect Measurement of WBC by algorigrams/ cluster analysis	Sysmex XE2100D
	Monocyte Count **1, 4		Indirect Measurement of WBC by algorigrams/ cluster analysis	Sysmex XE2100D
	Neutrophil Count **1, 4		Indirect Measurement of WBC by algorigrams/ cluster analysis	Sysmex XE2100D
	Platelet Count **1, 4		FC laser optics. Utilizing RBC channel/Mie map.	Sysmex XE2100D
1030 Haematology - .09 Examination of malarial	Examination for Malarial parasites **4		Staining/ Microscopy	Manual

parasites				
1030 Haematology - .41 General haemostasis related tests	Activated Partial Thromboplastin Time (APTT) **1, 4	Plasma	Photo Optical Technology	Sysmex CA540
	Fibrinogen **1, 4		Photo Optical Technology	Sysmex CA540
	Prothrombin Time (PT) **1, 4		Photo Optical Technology	Sysmex CA540

The laboratory has been awarded flexible scope in the P9 categories as noted in the scope document and in accordance with the laboratories approved and documented procedures.

Note 1 - Range may be extended for the test

Note 2 – New parameters / tests may be added

Note 3 – New matrices may be added

Note 4 – Changes to equipment / kits where the underlying methodology does not change

For further details please refer to the laboratories 'Master list of Flexible scope changes', available directly from the laboratory.

Medical pathology field - Test	Test/assay	Specimen Type	Equipment/Technique	Method (CE/Non-CE/In house developed/based on standard method)
1040 Immunology - .04 Allergen - specific IgE	Specific IGE **1, 2, 3, 4	Serum, Heparin Plasma, EDTA Plasma	Phadia Immunocap 250 / FluroEnzyme ImmunoAssay (FEIA)	CE
1040 Immunology - .12 Detection of autoantibodies in body fluids and biopsy material	Anti Cardiolipin IgG Antibodies **1, 2, 3, 4	Serum, Plasma	Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti Cardiolipin IgM Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti CENP Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti Cyclic Citrullinated Peptide (CCP) Antibodies **1, 2, 3, 4	Serum, Heparin Plasma, EDTA Plasma, Citrate Plasma	Architect i2000 / Chemiluminescent Microparticle Immunoassay (CMIA)	CE
	Anti Double Stranded DNA Antibodies **1, 2, 3, 4	Serum, Plasma	Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti Gliadin IgA Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti Gliadin IgG Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti Glomerular Basement Membrane (GBM) Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti JO-1 Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti LA Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti Mitochondrial Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti Myeloperoxidase (MPO) Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti PR3 Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti RO Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
Anti SCL-70 Antibodies **1, 2, 3, 4	Phadia Immunocap 250 / Enzyme Linked	CE		

			ImmunoAssay (ELIA)	
	Anti Sm Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti Tissue Transglutaminase IgA Antibodies **1, 2, 3, 4	Serum, EDTA Plasma, Citrate Plasma	Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti U1RNP Antibodies **1, 2, 3, 4	Serum, Plasma	Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti β 2 - Glycoprotein I IgG Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Anti β 2 - Glycoprotein I IgM Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Antinuclear Antibodies **1, 2, 3, 4		Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE
	Calprotectin **1, 2, 3, 4	Faeces	Phadia Immunocap 250 / Enzyme Linked ImmunoAssay (ELIA)	CE

The laboratory has been awarded flexible scope in the P9 categories as noted in the scope document and in accordance with the laboratories approved and documented procedures.

Note 1 - Range may be extended for the test

Note 2 – New parameters / tests may be added

Note 3 – New matrices may be added

Note 4 – Changes to equipment / kits where the underlying methodology does not change

For further details please refer to the laboratories 'Master list of Flexible scope changes', available directly from the laboratory.

Medical pathology field - Test	Test/assay	Specimen Type	Equipment/Technique	Method (CE/Non-CE/In house developed/based on standard method)
1012 Preparation of films on glass slides followed by microscopic examination with or without fixation and staining with dyes as required - .01 Microscopic examination for general bacteriology purposes (including enumeration and description of human cells)	Gram Stain **2, 3, 4	Swabs, CSF, tissue, fluid, pus, sputum, urine.	Gram Stain; Light Microscope	CE
	Microscopy **3, 4	Urine	Light/fluorescent microscope	CE
1012 Preparation of films on glass slides followed by microscopic examination with or without fixation and staining with dyes as required - .02 Microscopic examination for parasites	Parasitology **2, 3, 4	Faeces, urine, sellotape tests	Light Microscope	CE
1012 Preparation of films on glass slides followed by microscopic examination with or without fixation and staining with dyes as required - .03 Microscopic examination for fungi	Mycology **2, 3, 4	Hair, nail, skin scrapings	Light/fluorescent microscope	CE
1014 Detection of bacterial, parasite, viral or fungal antigens using specific antibodies and appropriate techniques - .04 Immunochromatographic methods,	Clostridium difficile toxin **2, 3, 4	Faeces	Kit	CE
	GDH **2, 3, 4		Kit	CE
	Helicobacter pylori stool antigen **2, 3, 4		Kit	CE
1016 Identification of cultured bacteria and fungi using non-nucleic acid based techniques - .01 Biochemical methods , CE marked commercial systems	Organism Identification **2, 3, 4	Swabs, CSF, tissue, fluid, pus, sputum, faeces, urine, tips, IUCD.	Vitek 2 Compact, ID Kits	CE
1017 Measurement of antimicrobial activity and application of clinical interpretive criteria to general bacteria (rapidly growing aerobes) - .05 Other categories of organism (as specified)	Susceptibility Testing **1, 2, 3, 4		Vitek 2 Compact/ManualDisk diffusion/Minimum Inhibitory Concentration	CE

1018 Detection of antibody response to infection using appropriate CE marked commercial techniques - .02 Enzyme immunoassay, using CE marked commercial systems	Anti-Human T-lymphocytes Virus I+II (HTLV I+II) **1, 2, 3, 4	Serum, Plasma, Potassium EDTA	Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	Anti-Streptolysin-O	Serum	Architect c8000	CE
	Cytomegalovirus IgG **1, 2, 3, 4	Serum, EDTA, Heparin Plasma	Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	Cytomegalovirus IgM **1, 2, 3, 4		Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	Hepatitis B Core Antibody **1, 2, 3, 4	Serum, Heparin (Li) Plasma	Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	Hepatitis B Surface Antibody (Anti-Hbs) **1, 2, 3, 4	Serum, EDTA, Heparin (Na) Plasma	Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	Hepatitis B Surface Antigen (Hbs Ag) **1, 2, 3, 4	Serum, EDTA, Heparin Plasma	Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	Hepatitis C Antibody **1, 2, 3, 4		Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	Hepatitis C Antigen **1, 2, 3, 4		Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	HIV Ab/Ag Combo **1, 2, 3, 4	Serum, EDTA, Li Hep, Heparin Plasma	Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	Quantiferon TB Gold **1, 2, 3, 4	Blood	Dynex DS2	CE
	Rubella IgG **1, 2, 3, 4	Serum, EDTA, Heparin Plasma	Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
	Rubella IgM **1, 2, 3, 4		Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE
Syphilis (Treponema pallidum) Antibody **1, 2, 3, 4	Serum, EDTA, Heparin (li, Na) Plasma	Architect i2000 / Chemiluminescent Microparticle ImmunoAssay (CMIA)	CE	
1029 Miscellaneous - .99 Miscellaneous tests	Urine Dipstick **1, 2, 3, 4	Urine	Colorimetric	CE

The laboratory has been awarded flexible scope in the P9 categories as noted in the scope document and in accordance with the laboratories approved and documented procedures.

Note 1 - Range may be extended for the test

Note 2 – New parameters / tests may be added

Note 3 – New matrices may be added

Note 4 – Changes to equipment / kits where the underlying methodology does not change

For further details please refer to the laboratories 'Master list of Flexible scope changes', available directly from the laboratory.