## Schedule of Accreditation



Organisation Name

Trading As

**INAB** Reg No

**Contact Name** 

Address

Contact Phone No

Email

Website

Accreditation Standard

Standard Version

Date of award of accreditation

Scope Classification

Scope Classification

Scope Classification

Scope Classification

Services available to the public<sup>1</sup>

**Eurofins Biomnis** 

159MT

Brid Muimneach

Three Rock Road, Sandyford Business Estate,

Dublin, D18

01 295 8545

biomnisinab@ctie.eurofinseu.com

https://www.eurofins.ie/biomnis/

EN ISO 15189

2012

14/02/2005

Microbiology and virology

Haematology

Immunology

Chemical pathology

**Eurofins Biomnis Ireland Limited** 

<sup>&</sup>lt;sup>1</sup> Refer to document on interpreting INAB Scopes of Accreditation

|   | Sites from which accredited services are delivered   |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|--|
|   | (the detail of the accredited services delivered at each site are on the Scope of Accreditation) |  |  |  |  |  |  |  |
|   |  |  |  |  |  |  |  |  |
|   | Name   | Address  |  |  |  |  |  |  |
| 1 | Head Office  | Three Rock Road, Sandyford Business Estate, Dublin, D18  |  |  |  |  |  |  |
| 2 | Eurofins Biomnis<br>Blackthorn Road Site   | Unit 3, Sandyford Business Centre, Sandyford Business Park, Blackthorn Road, Dublin 18, Dublin, Ireland, D18 |  |  |  |  |  |  |

# Scope of Accreditation

## **Eurofins Biomnis Blackthorn Road Site**

## **Chemical Pathology**

| Medical pathology<br>field - Test   | Test/assay  | Specimen Type | Technique   | Equipment/Range of Measurement      | Method (CE/Non-<br>CE/In house<br>developed/based<br>on standard<br>method) | Std. Ref &<br>SOP |
|---|---|---------------|---|-------------------------------------|---|-------------------|
| 1061 Clinical Chemistry01 Analytes in general use in cardiac, liver function, lipid, renal and other profiles and metabolic studies | C Reactive protein (CRP) -High<br>Sensitivity **1, 2, 4 | Serum/Plasma  | Turbidimetric/Immunturbidimetric                            | Abbott Alinity c                    | CE  | CC188             |
|   | 24 Hours Microalbumin**1, 2, 4                          | Urine         | Calculated  | Abbott Alinity c -<br>LIS Interface | CE  | CC188             |
|   | Alanine Amino Transferase<br>(ALT) **1, 2, 4            | Serum/Plasma  | Spectrophotometry NADH                                      | Abbott Alinity c                    | CE  | CC188             |
|   | Albumin **1, 2, 4                                       |               | Spectrophotometry (Bromocresol Green)                       | Abbott Alinity c                    | CE  | CC188             |
|   | Albumin/ Creatinine Ratio **1, 2, 4                     |               | Calculated  | Abbott Alinity c -<br>LIS Interface | CE  | CC188             |
|   | Alkaline Phosphatase (ALP) **1, 2, 4                    |               | Spectrophotometry Hydrolysis of Para- Nitrophenyl phosphate | Abbott Alinity c                    | CE  | CC188             |

| Alpha 1-AntiTrypsin **1, 2, 4                 |                              | Immunoturbidimetry  | Abbott Alinity c                    | CE | CC188 |
|---|------------------------------|---|-------------------------------------|----|-------|
| Amylase **1, 2, 4                             | 1                            | Enzymatic + Colorimetric  | Abbott Alinity c                    | CE | CC188 |
| Angiotensin Conversion Enzyme **1, 2, 4       |                              | Enzymatic/ Colorimetric Hydrolysis of Furylacryloylphenylalanylglyclglycine (FAPGG) | Abbott Alinity c                    | CE | CC188 |
| Aspartate Aminotransferase (AST) **1, 2, 4    |                              | Spectrophotometry   | Abbott Alinity c                    | CE | CC188 |
| Bilirubin Direct **1, 2, 4                    |                              | Spectrophotometry, Diazo-Reaction   | Abbott Alinity c                    | CE | CC188 |
| Bilirubin Indirect **1, 2, 4                  |                              | Calculated  | Abbott Alinity c -<br>LIS Interface | CE | CC188 |
| Calcium **1, 2, 3, 4                          | Serum/ Plasma<br>/Spot Urine | Spectrophotometry, Arsenazo III   | Abbott Alinity c                    | CE | CC188 |
| Calcium, Calculated **1, 2, 4                 | Serum/Plasma                 | Calculated  | Abbott Alinity c -<br>LIS Interface | CE | C188  |
|   |                              | Calculated  | Abbott Alinity c -<br>LIS Interface | CE | CC188 |
| Carbon Dioxide (Co <sub>2</sub> ) **1, 2, 4   |                              | Spectrophotometry, PEP<br>Carboxylase   | Abbott Alinity c                    | CE | CC188 |
| Ceruloplasmin **1, 2, 4                       |                              | Turbidimetric/Immunturbidimetric  | Abbott Alinity c                    | CE | CC188 |
| Chloride (CI) **1, 2, 4                       | Serum/ Plasma/<br>Urine      | Indirect ISE  | Abbott Alinity c                    | CE | CC188 |
| Cholesterol, **1, 2, 4                        | Serum/Plasma                 | Enzymatic   | Abbott Alinity c                    | CE | CC188 |
| Creatinine Enzymatic **1, 2, 4                | Serum/ Plasma/<br>Urine      | Enzymatic   | Abbott Alinity c                    | CE | CC188 |
| Creatinine Kinase **1, 2, 4                   | Serum/Plasma                 | NAC (N-Acetyl-L-Cystein)  | Abbott Alinity c                    | CE | CC188 |
| Direct LDL **1, 2, 4                          |                              | Selective resolution of LDL-Particles under dye formation                           | Abbott Alinity c                    | CE | CC188 |
| eGFR **1, 2, 4                                |                              | Calculated  | Abbott Alinity c -<br>LIS Interface | CE | CC188 |
| Gamma Glutamyl Transferase<br>(GGT) **1, 2, 4 |                              | L-Gammaglutamyl-3-carboxy-4-<br>nitroanilid-Substrate                               | Abbott Alinity c                    | CE | CC188 |
| Globulins **1, 2, 4                           |                              | Calculated  | Abbott Alinity c -<br>LIS Interface | CE | CC188 |

| Glucose **1, 2, 4                         | Plasma                   | Enzymatic (Hexokinase/ G-6-PDH)                      | Abbott Alinity c                    | CE | CC188 |
|---|--------------------------|--|-------------------------------------|----|-------|
| Homocysteine **1, 2, 4                    | Serum/Plasma             | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                    | CE | CC188 |
| Iron2 **1, 2, 4                           | ]                        | Ferene   | Abbott Alinity c                    | CE | CC188 |
| Lactate DeHydrogenase2(LDH) **1, 2, 4     |                          | Oxidation of Lactate to Pyruvate                     | Abbott Alinity c                    | CE | CC188 |
| Lipase **1, 2, 4                          | Serum / Plasma           | Kinetic Colorimetric method                          | Abbott Alinity c                    | CE | CC188 |
| Lipoprotein a **1, 2, 4                   | Serum/Plasma             | Turbidimetric/Immunturbidimetric                     | Abbott Alinity c                    | CE | CC188 |
| Magnesium **1, 2, 4                       | Serum/ Plasma /<br>Urine | Enzymatic  | Abbott Alinity c                    | CE | CC188 |
| Microalbumin **1, 2, 4                    | Urine                    | Turbidimetric/Immunturbidimetric                     | Abbott Alinity c                    | CE | CC188 |
| NT-proBNP **1, 2, 4                       | Serum/ Plasma            | Chemiluminescent microparticle<br>Immunoassay        | Abbott Alinity I                    | CE | CC188 |
| Phosphorous**1, 2, 4                      | Serum/ Plasma/<br>Urine  | Spectrophotometry,<br>Phosphomolybdate               | Abbott Alinity c                    | CE | CC188 |
| Potassium (K) **1, 2, 4                   | ]                        | Indirect ISE   | Abbott Alinity c                    | CE | CC188 |
| Protein/ Creatinine **1, 2, 4             | Urine                    | Calculated   | Abbott Alinity c -<br>LIS Interface | CE | CC188 |
| Sodium (Na) **1, 2, 4                     | Serum/ Plasma/<br>Urine  | Indirect ISE   | Abbott Alinity c                    | CE | CC188 |
| Total Bile Acids **1, 2, 4                | Serum/Plasma             | Cyclic-enzymatic/colorimetric                        | Abbott Alinity c                    | CE | CC188 |
| Total Bilirubin **1, 2, 4                 | ]                        | Spectrophotometry, Diazonium salt                    | Abbott Alinity c                    | CE | CC188 |
| Total Protein **1, 2, 4                   | Serum/ Plasma            | Biuret Reaction                                      | Abbott Alinity c                    | CE | CC188 |
| Triglycerides **1, 2, 4                   | ]                        | Glycerinphosphate oxidase                            | Abbott Alinity c                    | CE | CC188 |
| Troponin-I, STAT high sensitive **1, 2, 4 | Serum/Plasma             | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                    | CE | CC188 |
| Ultra HDL Cholesterol **1, 2, 4           |                          | Accelerated enzymatic Reaction/selective solvent     | Abbott Alinity c                    | CE | CC188 |
| Urea **1, 2, 3, 4                         | Serum/ Plasma/<br>Urine  | Urease   | Abbott Alinity c                    | CE | CC188 |
| Uric Acid **1, 2, 4                       | ]                        | Uricase  | Abbott Alinity c                    | CE | CC188 |
| Serum Proteins Electrophoresis **1, 2, 4  | Serum                    | Capillary Electrophoresis                            | Sebia Capillarys 3<br>Octa          | CE | CC177 |

1061 Clinical Chemistry - .02

| Proteins, quantitative analysis  |                                       |                     |   |                  |    |       |
|--|---------------------------------------|---------------------|---|------------------|----|-------|
| 1061 Clinical<br>Chemistry10<br>Drugs for<br>therapeutic<br>monitoring | Amikacin **1, 2, 4                    | Serum/ Plasma       | Homogeneous particle-enhanced turbidimetric inhibition immunoassay (PETINIA).               | Abbott Alinity c | CE | CC188 |
|  | Digoxin **1, 2, 4                     |                     | Particle-enhanced turbidimetric inhibition immunoassay(PETINIA)                             | Abbott Alinity c | CE | CC188 |
|  | Gentamicin **1, 2, 4                  |                     | Particle-enhanced turbidimetric inhibition immunoassay(PETINIA)                             | Abbott Alinity c | CE | CC188 |
|  | Lithium **1, 2, 4                     |                     | Colorimetric Method   | Abbott Alinity c | CE | CC188 |
|  | Phenytoin **1, 2, 4                   |                     | Enzyme immunoassay  | Abbott Alinity c | CE | CC188 |
|  | Tacrolimus **1, 2, 4                  | Whole Blood<br>EDTA | Manual Pre-treatment precipitation.<br>Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I | CE | CC188 |
|  | Theophyline **1, 2, 4                 | Serum/ Plasma       | Enzyme immunoassay  | Abbott Alinity c | CE | CC188 |
|  | Valproic Acid **1, 2, 4               |                     | Particle-enhanced turbidimetric inhibition immunoassay(PETINIA)                             | Abbott Alinity c | CE | CC188 |
|  | Vancomycin **1, 2, 4                  |                     | Particle-enhanced turbidimetric inhibition immunoassay(PETINIA)                             | Abbott Alinity c | CE | CC188 |
| 1061 Clinical<br>Chemistry14<br>Alcohol for non-legal<br>purposes      | Ethanol **1, 2, 4                     | Urine               | Enzymatic (Alcohol dehydrogenase)   | Abbott Alinity c | CE | CC188 |
| 1061 Clinical<br>Chemistry15<br>Drugs for<br>toxicological<br>purposes | Amphetamine/Methamphetamine **1, 2, 4 |                     | Enzymatic Immunoassay   | Abbott Alinity c | CE | CC188 |
|  | Barbiturates **1, 2, 4                |                     | Enzymatic Immunoassay   | Abbott Alinity c | CE | CC188 |
|  | Benzodiazepines **1, 2, 4             |                     | Enzymatic Immunoassay   | Abbott Alinity c | CE | CC188 |
|  | Cannabinoids **1, 2, 4                |                     | Enzymatic Immunoassay   | Abbott Alinity c | CE | CC188 |
|  | Cocaine **1, 2, 4                     |                     | Enzyme immunoassay  | Abbott Alinity c | CE | CC188 |
|  | Ecstasy **1, 2, 4                     |                     | Enzyme immunoassay  | Abbott Alinity c | CE | CC188 |

|  | EDDD **4 0 4  |                          | Incompany and a second                               | Alabatt Aliaitaa | lor. | 00400 |
|--|---|--------------------------|--|------------------|------|-------|
|  | EDDP **1, 2, 4  |                          | Immunalysis assay                                    | Abbott Alinity c | CE   | CC188 |
|  | Heroine Metabolite (6AM) **1, 2, 4                            |                          | Cedia assay  | Abbott Alinity c | CE   | CC188 |
|  | Methadone (semiquantitative) **1, 2, 4                        |                          | Enzyme immunoassay                                   | Abbott Alinity c | CE   | CC188 |
|  | Opiates **1, 2, 4   | 1                        | Enzyme immunoassay                                   | Abbott Alinity c | CE   | CC188 |
| 1061 Clinical<br>Chemistry20<br>Hormones | Beta Human Chorionic<br>Gonadotrophin (Beta HCG) **1,<br>2, 4 | Serum/ Plasma            | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I | CE   | CC188 |
|  | Cortisol **1, 2, 4  | Serum/ Plasma /<br>Urine | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I | CE   | CC188 |
|  | C-Peptide **1, 2, 4   | Serum/ Plasma            | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I | CE   | CC188 |
|  | Dehydroepiandrosterone<br>Sulphate (DHEAS) **1, 2, 4          |                          | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I | CE   | CC188 |
|  | Follicle Stimulating Hormone (FSH) **1, 2, 4                  |                          | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I | CE   | CC188 |
|  | Free Thyroxin (FT4) **1, 2, 4                                 |                          | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I | CE   | CC188 |
|  | Free TrilodiThyronine (FT3) **1, 2, 4                         |                          | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I | CE   | CC188 |
|  | Insulin **1, 2, 4   |                          | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I | CE   | CC188 |
|  | Intact Parathyroid Hormone (PTH) **1, 2, 4                    | EDTA Plasma              | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I | CE   | CC188 |
|  | Luteinising Hormone (LH) **1, 2, 4                            | Serum/ Plasma            | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I | CE   | CC188 |
|  | Macroprolactin **1, 2, 4                                      |                          | Calculated, Prolactin and PEG Precipitation          | Abbott Alinity I | CE   | CC188 |
|  | Oestradiol **1, 2, 4  |                          | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I | CE   | CC188 |
|  | Progesterone **1, 2, 4  |                          | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I | CE   | CC188 |
|  | Prolactin **1, 2, 4   |                          | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I | CE   | CC188 |

|   | Sex hormone Binding Globulin **1, 2, 4                    |
|---|---|
|   | T3 Total **1, 2, 4  |
|   | T4 Total **1, 2, 4  |
|   | Testosterone **1, 2, 4                                    |
|   | Thyrotropine (Thyroid Stimulating Hormone, TSH) **1, 2, 4 |
| 1061 Clinical<br>Chemistry40 Iron<br>studies                          | Ferritin **1, 2, 4  |
|   | TIBC **1, 2, 4  |
|   | Transferrin **1, 2, 4                                     |
|   | Transferrin Saturation **1, 2, 4                          |
|   | Unsaturated Iron Binding Capacity (UIBC) **1, 2, 4        |
| 1061 Clinical<br>Chemistry45<br>Vitamin B12 and<br>folate             | Folate **1, 2, 4  |
|   | Vitamin B12 **1, 2, 4                                     |
| 1061 Clinical<br>Chemistry47<br>Vitamin assays                        | 25 OH Vitamin D **1, 2, 4                                 |
| 1061 Clinical<br>Chemistry50<br>Protein and peptide<br>tumour markers | AlphaFetoProtein (AFP) **1, 2, 4                          |
|   | Cancer Antigen 125 (CA 125) **1, 2, 4                     |

| Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I                    | CE | CC188 |
|--|-------------------------------------|----|-------|
| Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I                    | CE | CC188 |
| Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I                    | CE | CC188 |
| Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I                    | CE | CC188 |
| Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                    | CE | CC188 |
| Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                    | CE | CC188 |
| Calculated   | Abbott Alinity c -<br>LIS Interface | CE | CC188 |
| Immunoturbidimetric                                  | Abbott Alinity c                    | CE | CC188 |
| Calculated   | Abbott Alinity c -<br>LIS Interface | CE | CC188 |
| Ferene   | Abbott Alinity c                    | CE | CC188 |
| Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                    | CE | CC188 |
| Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                    | CE | CC188 |
| Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                    | CE | CC188 |
| Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                    | CE | CC188 |
| Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I                    | CE | CC188 |

| The state of the s |   |               |  |  |    |       |
|--|---|---------------|--|--|----|-------|
|  | Cancer Antigen 153 (CA 153) **1, 2, 4   |               | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                           | CE | CC188 |
|  | Cancer Antigen 199 (CA 19-<br>9XR) **1, 2, 4                                  |               | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                           | CE | CC188 |
|  | CarcinoEmbryonic Antigen (CEA) **1, 2, 4                                      |               | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I                           | CE | CC188 |
|  | Total prostate Specific Antigen (total PSA) **1, 2, 4                         |               | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I                           | CE | CC188 |
| 1061 Clinical<br>Chemistry71<br>Faecal<br>Immunochemical<br>test   | Faecal Immunochemical Testing (FIT)   | Faeces        | Latex turbidimetry                                   | OC-Sensor Pledia<br>Faecal Occult<br>Blood | CE | BCC69 |
| 1061 Clinical Chemistry80 Quantitative investigation of immunoglobulins G, A, M and in body fluids   | ImmunoGlobulin A (IgA) **1, 2, 4  | Serum/ Plasma | Immunoturbidimetric                                  | Abbott Alinity c                           | CE | CC188 |
|  | ImmunoGlobulin G (IgG) **1, 2, 4  |               | Immunoturbidimetric                                  | Abbott Alinity c                           | CE | CC188 |
|  | ImmunoGlobulin M (IgM) **1, 2, 4  |               | Immunoturbidimetric                                  | Abbott Alinity c                           | CE | CC188 |
| 1061 Clinical<br>Chemistry81<br>Qualitative<br>investigation of<br>immunoglobulins G,<br>A, M and in body<br>fluids  | Qualitative investigation of immunoglobulins G, A, M in body fluids **1, 2, 4 | Serum         | Immunofixation                                       | Sebia Hydrasys                             | CE | B86   |
| 1061 Clinical<br>Chemistry82<br>Total lgE  | Immunoglobulin E (Total IgE) **1, 2, 4  | Serum/ Plasma | Immunoturbidimetric                                  | Abbott Alinity c                           | CE | CC188 |
| 1061 Clinical<br>Chemistry83<br>Rheumatoid factor –<br>quantitative assays   | Rheumatoid Factor (RF) **1, 2, 4  |               | Immunoturbidimetric                                  | Abbott Alinity c                           | CE | CC188 |
| 1061 Clinical<br>Chemistry84 Anti-   | Anti-Thyroid Peroxidase (Anti-TPO) **1, 2, 4                                  |               | Chemiluminescent Microparticle Immunoassay (CMIA)    | Abbott Alinity I                           | CE | CC188 |

| thyroid microsomal antibodies                                     |  |                |  |                                     |    |       |
|---|--|----------------|--|-------------------------------------|----|-------|
| 1061 Clinical<br>Chemistry85 Anti-<br>thyroglobulin<br>antibodies | Anti-Thyroglobulin (Anti-Tg) **1, 2, 4 |                | Chemiluminescent Microparticle<br>Immunoassay (CMIA) | Abbott Alinity I                    | CE | CC188 |
| 1061 Clinical<br>Chemistry86 C3<br>and C4                         | C3 **1, 2, 4                           |                | Immunoturbidimetry                                   | Abbott Alinity c                    | CE | CC188 |
|   | C4 **1, 2, 4                           | ]              | Immunoturbidimetry                                   | Abbott Alinity c                    | CE | CC188 |
| 1061 Clinical<br>Chemistry88 b2-<br>microglobulin                 | B 2 Microglobulin **1, 2, 4            | Serum / Plasma | Turbidimetric/ Immunoturbidimetry                    | Abbott Alinity c                    | CE | CC188 |
| 1061 Clinical<br>Chemistry99<br>Miscellaneous tests               | Free Androgen Index **1, 2, 4          | Serum/ Plasma  | Calculated   | Abbott Alinity c -<br>LIS Interface | CE | CC188 |
|   | Urinary pH **1, 2, 4                   | Urine          | DRI pH-Detect Test                                   | Abbott Alinity c                    | CE | CC188 |

## **Eurofins Biomnis Blackthorn Road Site**

## Haematology

| Medical pathology field - Test                                   | Test/Assay  | Specimen Type        | Technique  | Range of Measurement/Equipment    | Method (CE/Non-<br>CE/In house<br>developed/based on<br>standard method) | Std. Ref & SOP |
|--|---|----------------------|--|-----------------------------------|--|----------------|
| 1030 Haematology01<br>Blood counts                               | Full Blood Count **1, 4   | EDTA Whole Blood     | Flow Cytometry/<br>Spectrophotometry/<br>Calculation / (FC)                | Sysmex XN-2000<br>Sysmex XN -1000 | CE   | BH18, H62      |
| 1030 Haematology02<br>Visual examination of<br>blood films       | Blood Film & White<br>Cell Differential.<br>Includes Neutrophils,<br>Lymphocytes,<br>Monocytes,<br>Eosinophils, Basophils<br>Leucocytes **4 |                      | Staining/ Microscopy   | Manual                            | CE   | H04            |
| 1030 Haematology03<br>Erythrocyte<br>sedimentation rate          | Erythrocyte sedimentation rate  |                      | Capillary photometric-kinetic technology                                   | ALIFAX TEST 1 BCL                 | CE   | H09, H62       |
| 1030 Haematology05<br>Automated differential<br>leucocyte counts | Automated differential leucocyte counts **1, 4  |                      | FC / Indirect<br>Measurement of<br>WBC by algorigrams/<br>cluster analysis | Sysmex XN-2000                    | CE   | BH18           |
| 1030 Haematology06<br>Automated reticulocyte<br>counts           | Reticulocytes   |                      | Fluorescence   | Sysmex XN-2000                    | CE   | BH18           |
| 1030 Haematology41<br>General haemostasis<br>related tests       | Activated Partial<br>Thromboplastin Time<br>**1, 4  | Citrated plasma 3.2% | Clotting Time  | STAGO Compact Max                 | CE   | H60, H62       |
|  | D-Dimer   |                      | Photometry (turbidometric)   | STAGO STA Compact<br>Max          | CE   | H60, H62       |
|  | Fibrinogen **1, 4   |                      | Clotting Time  | STAGO Compact Max                 | CE   | H60, H62       |
|  | Prothrombin Time **1,   |                      | Clotting Time  | STAGO Compact Max                 | CE   | H60, H62       |

## **Eurofins Biomnis Blackthorn Road Site**

## Immunology

| Medical pathology field - Test  | Test/Assay  | Specimen Type                            | Equipment/Technique  | Method (CE/Non-<br>CE/In house<br>developed/based<br>on standard<br>method) | Range of measurement  | Std. Ref & SOP |
|---|---|--|--|---|---|----------------|
| 1040 Immunology04<br>Allergen - specific IgE  | Specific IGE **1, 2, 4  | Serum, Heparin<br>Plasma, EDTA<br>Plasma | Phadia Immunocap<br>250 / FluroEnzyme<br>ImmunoAssay (FEIA)    | CE  | Panels are reported as Positive or Negative only. Individual allergens are reported in kIU/L, ranging from less than 0.10 to greater than 100. A result of > 0.10 kIU/L is interpreted as positive. | CC99           |
| 1040 Immunology12<br>Detection of<br>autoantibodies in body<br>fluids and biopsy material | Anti Cardiolipin IgG<br>Antibodies **1, 2, 4                          | Serum, Plasma                            | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA)              | CE  | Negative: < 10.0 GPL-<br>U/mL Weak positive:<br>10.0 - 40.0 GPL-U/mL<br>Positive: > 40.0 GPL-<br>U/mL   | CC102          |
|   | Anti Cardiolipin IgM<br>Antibodies **1, 2, 4                          |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA)              | CE  | Negative: < 10.0 MPL-<br>U/mL Weak positive:<br>10.0 - 40.0 MPL-U/mL<br>Positive: > 40.0 MPL-<br>U/mL   | CC103          |
|   | Anti Cyclic<br>Citrullinated Peptide<br>(CCP) Antibodies **1,<br>2, 4 |  | Alinity I/<br>Chemiluminescent<br>microparticle<br>Immunoassay | CE  | < 5.0 U/mL: Negative<br>≥ 5.0 U/mL: Positive  | CC188          |
|   | Anti Double Stranded<br>DNA Antibodies **1, 2,<br>4                   |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA)              | CE  | Less than 10 IU/mL  | CC118          |

| Anti Gliadin IgA<br>Antibodies **1, 2, 4                              |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: < 7.0 U/mL<br>Borderline: 7.0 - 10.0<br>U/mL Positive: > 10.0<br>U/mL               | CC104 |
|---|--|---|----|---|-------|
| Anti Gliadin IgG<br>Antibodies **1, 2, 4                              |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: < 7.0 U/mL<br>Weak positive: 7.0 -<br>10.0 U/mL Positive: ><br>10.0 U/mL            | CC105 |
| Anti Glomerular<br>Basement Membrane<br>(GBM) Antibodies **1,<br>2, 4 |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: < 7.0 U/mL<br>Weak positive: 7.0 -<br>10.0 U/mL Positive: ><br>10.0 U/mL            | CC107 |
| Anti Mitochondrial<br>Antibodies **1, 2, 3, 4                         |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: < 4.0 IU/mL<br>Equivocal: 4.0 IU/mL<br>to 6.0 IU/mL Positive:<br>> 6.0 IU/mL        | CC149 |
| Anti Myeloperoxidase<br>(MPO) Antibodies **1,<br>2, 4                 |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative <3.5 IU/mL;<br>Equivocal 3.5-5.0<br>IU/mL; Positive: >5.0<br>IU/mL                   | CC127 |
| Anti PR3 Antibodies<br>**1, 2, 4                                      |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: <2.0 IU/mL;<br>Equivocal 2.0-3.0<br>IU/mL Positive >3.0<br>IU/mL                    | CC126 |
| Anti Tissue<br>Transglutaminase IgA<br>Antibodies **1, 2, 4           | Serum, EDTA<br>Plasma, Citrate<br>Plasma | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: less than 7<br>U/mL Weak Positive: 7<br>- 10 U/mL Positive:<br>greater than 10 U/mL | CC106 |
| Anti β2 - Glycoprotein I IgG Antibodies **1, 2, 4                     | Serum, Plasma                            | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: < 7.0 U/mL<br>Weak positive: 7.0<br>U/mL to 10.0 U/mL<br>Positive: > 10.0 U/mL      | CC113 |
| Anti β2 - Glycoprotein<br>I IgM Antibodies **1,<br>2, 4               |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: < 7.0 U/mL<br>Weak Positive: 7.0<br>U/mL to 10.0 U/mL<br>Positive: > 10.0 U/mL      | CC108 |
| Antinuclear Antibodies **1, 2, 4                                      |  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Ratio less than 0.7   | CC117 |

|  |  | <u> </u>       |   |    |  |           |
|--|--|----------------|---|----|--|-----------|
|  | Determination of Anti-<br>Intrinsic Factor<br>Antibodies **1, 2, 4 | Serum / Plasma | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: < 7 U/mL;<br>Equivocal: 7-10 U/mL;<br>Positive: > 10 U/mL  | CC159     |
|  | Determination of Anti-<br>Parietal Cell<br>Antibodies **1, 2, 4    | Serum, Plasma  | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Negative: < 7 U/mL;<br>Equivocal: 7-10 U/mL;<br>Positive: > 10 U/mL  | CC156     |
|  | ENA Antibody Typing<br>**1, 2, 4                                   |                | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | Anti-Sm, anti-SSA/RO, anti-SSB/La, anti-Scl-70, anti-Jo-1 and anti-centromere Antibodies: each less than 7 EliA U/mL. Anti-U1 RNP: less than 5 EliA U/mL.  | CC119-125 |
| 1040 Immunology99<br>Miscellaneous tests | Calprotectin **1, 2, 4   | Faeces         | Phadia 250 /<br>FluroEnzyme<br>ImmunoAssay (FEIA) | CE | <50 ug/g: Negative. Calprotectin level not suggestive of organic pathology. 50-100 ug/g: Gray Zone.Organic pathology cannot be excluded. A repeat sample in 4 to 6 weeks is suggested. >100 ug/g: Positive. Calprotectin level is consistent with organic pathology. |           |

## **Eurofins Biomnis Blackthorn Road Site**

## **Microbiology and Virology**

| Medical pathology field - Test  | Test/assay  | Specimen Type                  | Equipment/Technique  | Method (CE/Non-<br>CE/In house<br>developed/based<br>on standard<br>method) | Range of measurement   | Std. ref & SOP |
|---|---|--------------------------------|--|---|--|----------------|
| 1018 Detection of antibody response to infection using appropriate CE marked commercial techniques02 Enzyme immunoassay, using CE marked commercial systems | Anti-Human T-<br>lymphocytes Virus<br>I+II (HTLV I+II) **1, 2,<br>4 | Serum, Heparin,<br>EDTA Plasma | Abbott Alinity i / Chemiluminescent Microparticle ImmunoAssay (CMIA)       |   | Specimens with S/CO values < 1.00 are considered nonreactive (NR). Specimens with S/CO values ≥ 1.00 are considered reactive (R).                          | CC188          |
|   | Antistreptolysin-O **1, 2, 4  | Serum                          | Turbidimetric/Immunturbidimetric   | ŕ   | Up to 7 years: less<br>than 100 IU/mL<br>Greater than 7 years:<br>less than 200 IU/mL  | CC188          |
|   | Cytomegalovirus IgG<br>**1, 2, 4                                    | Serum, EDTA,<br>Heparin Plasma | Abbott Alinity i /<br>Chemiluminescent Microparticle<br>ImmunoAssay (CMIA) |   | Specimens with concentration values <6.0 AU/mL are considered nonreactive (NR). Specimens with concentration values ≥6.0 AU/mL are considered reactive (R) | CC188          |
|   | Cytomegalovirus IgM<br>**1, 2, 4                                    |                                | Abbott Alinity i /<br>Chemiluminescent Microparticle<br>ImmunoAssay (CMIA) |   | <0.85 Index are considered nonreactive Index 0.85 to 0.99: Grayzone, Index ≥ 1.00: reactive  | CC188          |

| Hepatitis B Core<br>Antibody **1, 2, 4                  | Serum, Heparin (Li)<br>Plasma             | Abbott Alinity i /<br>Chemiluminescent Microparticle<br>ImmunoAssay (CMIA) | CE | Specimens with S/CO values < 1.00 are considered nonreactive (NR). Specimens with S/CO values ≥ 1.00 are considered reactive (R). | CC188 |
|---|---|--|----|---|-------|
| Hepatitis B Surface<br>Antibody (Anti-Hbs)<br>**1, 2, 4 | Serum, EDTA,<br>Heparin Plasma            | Abbott Alinity i /<br>Chemiluminescent Microparticle<br>ImmunoAssay (CMIA) | CE | Greater than 10 IU/mL: reactive   | CC188 |
| Hepatitis B Surface<br>Antigen (Hbs Ag)<br>**1, 2, 4    |   | Abbott Alinity i /<br>Chemiluminescent Microparticle<br>ImmunoAssay (CMIA) | CE | Specimens with S/CO values < 1.00 are considered nonreactive (NR). Specimens with S/CO values ≥ 1.00 are considered reactive (R). | CC188 |
| Hepatitis C Antibody<br>**1, 2, 4                       |   | Abbott Alinity i /<br>Chemiluminescent Microparticle<br>ImmunoAssay (CMIA) | CE | Specimens with S/CO values < 1.00 are considered nonreactive (NR). Specimens with S/CO values ≥ 1.00 are considered reactive (R). | CC188 |
| HIV Ab/Ag Combo<br>**1, 2, 4                            | Serum, EDTA,<br>Plasma, Heparin<br>Plasma | Abbott Alinity i /<br>Chemiluminescent Microparticle<br>ImmunoAssay (CMIA) | CE | Specimens with S/CO values < 1.00 are considered nonreactive (NR). Specimens with S/CO values ≥ 1.00 are considered reactive (R). | CC188 |
| Rubella IgG **1, 2, 4                                   | Serum, EDTA,<br>Heparin Plasma            | Abbott Alinity i /<br>Chemiluminescent Microparticle<br>ImmunoAssay (CMIA) | CE | < 5.0 IU/mL =<br>nonreactive<br>5.0 – 9.9 = equivocal<br>≥ 10.00 = reactive   | CC188 |

| Rubella IgM **1, 2, 4                            | Abbott Alinity i / Chemiluminescent Microparticle ImmunoAssay (CMIA) | Index less than 1.20: nonreactive (Negative) Index 1.20 - 1.59: equivocal; Index >/= 1.60: reactive (Positive).          | CC188 |
|--|--|--|-------|
| Syphilis (Treponema pallidum) Antibody **1, 2, 4 | Abbott Alinity i / Chemiluminescent Microparticle ImmunoAssay (CMIA) | Specimens with S/CO values < 1.00 are considered nonreactive. Specimens with S/CO values ≥ 1.00 are considered reactive. | CC188 |

#### **Head Office**

## Haematology

Category: A

| Medica<br>- Test | al pathology field | Test/Assay   | Specimen Type | Technique                              | Measurement/Equipment |    | Std. Ref & SOP |
|------------------|--------------------|--|---------------|--|-----------------------|----|----------------|
| 01 As            | ssay for somatic   | Identification of the<br>C282Y and H63D in<br>the HFE human gene |               | ViennaLab HFE<br>mpx REalFast™<br>Assa | ABI 7500 FAST         | CE | MB55           |

The laboratory has been awarded flexible scope in the P9 categories as noted in the scope document and in accordance with the laboratories approved and documented procedures.

Note 1 - Range may be extended for the test

Note 2 – New parameters / tests may be added

Note 3 – New matrices may be added

Note 4 – Changes to equipment / kits where the underlying methodology does not change

For further details please refer to the laboratories 'Master list of Flexible scope changes', available directly from the laboratory.

#### **Head Office**

## **Immunology**

Category: A

| Medical pathology field -<br>Test | Test/Assay           | Specimen Type |  | Range of measurement                   | Std. Ref & SOP |
|-----------------------------------|----------------------|---------------|--|--|----------------|
| 1040 Immunology41<br>HLA - B27    | Detection of HLA-B27 |               | ViennaLab HLA-B27<br>RealFast™ Assay; •<br>ABI 7500 FAST | HLA-B27 Positive /<br>HLA-B27 Negative | MB54           |

The laboratory has been awarded flexible scope in the P9 categories as noted in the scope document and in accordance with the laboratories approved and documented procedures.

Note 1 - Range may be extended for the test

Note 2 – New parameters / tests may be added

Note 3 – New matrices may be added

Note 4 – Changes to equipment / kits where the underlying methodology does not change

For further details please refer to the laboratories 'Master list of Flexible scope changes', available directly from the laboratory.

## **Head Office**

## **Microbiology and Virology**

| Medical pathology field -<br>Test  | Test/assay                     | Specimen Type                        | Equipment/Technique                             | Method (CE/Non-<br>CE/In house<br>developed/based<br>on standard<br>method) | Range of measurement  | Std. ref & SOP |
|--|--------------------------------|--------------------------------------|---|---|---|----------------|
| 1012 Preparation of films on glass slides followed by microscopic examination with or without fixation and staining with dyes as required01 Microscopic examination for general bacteriology purposes (including enumeration and description of human cells) | Gram Stain **2, 3, 4           | Swabs, tissue, fluid,<br>pus, urine. | Gram Stain; Light<br>Microscope                 | CE  | Present/Absent  | GM15           |
|  | Investigation of urine samples | Urine                                | Sysmex<br>UF5000/Automated<br>particle counting | CE  | WBCs (cells/µL), RBCs (cells/µL), Bacteria (Present / Absent), Yeasts (Present / Absent), Casts (Present / Absent/Morphology), Crystals (Present / Absent/ Morphology), and Epithelial cells (Present / Absent) | GM116          |
|  | Microscopy **3, 4              |                                      | Light microscope                                | CE  | Present/Absent  | CM38           |
| 1012 Preparation of films on glass slides followed by microscopic examination with or without fixation and staining with dyes as required02 Microscopic examination for parasites  | Parasitology **2, 3, 4         | Faeces, urine, sellotape tests       | Light microscope                                | CE  | Present/Absent  | CM64           |

| 1012 Preparation of films on glass slides followed by microscopic examination with or without fixation and staining with dyes as required03 Microscopic examination for fungi | Mycology **2, 3, 4   | Hair, nail, skin<br>scrapings | Light/fluorescent<br>microscope  | CE | Present/Absent        | CM50   |
|---|--|-------------------------------|--|----|-----------------------|--|
| 1013 Culture of organisms in liquid or agar based culture media with visual or instrument monitoring for growth01 Culture of general bacteria                                 |  |                               | Manual/ Manual culture in agar based media with incubation of specimens at defined temperatures for defined periods. Visual observation of growth.   | CE | N/A                   | CM18, CM19, CM20,<br>CM21, CM22, CM23,<br>CM26, CM27, CM28,<br>CM29, CM30, CM38,<br>CM39, CM41, CM42,<br>CM43, CM44, CM45,<br>CM47, CM48, CM49,<br>CM50, CM54, CM56,<br>CM68, CM70, CM73 |
| 1013 Culture of organisms in liquid or agar based culture media with visual or instrument monitoring for growth02 Culture of fungi  | 4  | Skin, hair, nail              | "Manual/ Manual culture in agar based media with incubation of specimens at defined temperatures for defined periods. Visual observation of growth." | CE | N/A                   | CM50   |
| 1014 Detection of bacterial, parasite, viral or fungal antigens using specific antibodies and appropriate techniques04 Immunochromatographic methods,                         | Clostridium difficile toxin **2, 4   | Faeces                        | Immunochromatographic<br>Kit   | CE | Positive/Not Detected | GM75   |
|   | Detection of<br>Carbapenemases **2,<br>3, 4 (Includes testing<br>for KPC, NDM, VIM,<br>OXA-48 and IMP) | Bacterial Isolate             | Immunochromatographic<br>Kit   | CE | Positive/Negative     | CM62   |
|   | GDH **2, 4   | Faeces                        | Immunochromatographic<br>Kit   | CE | Positive/Not Detected | CM66   |
|   | Helicobacter pylori<br>stool antigen **2, 4  |                               | Immunochromatographic<br>Kit   | CE | Positive/Not Detected | GM82   |

|  |                                      | Vaginal/Endocervical<br>swabs and Urine               | Roche Cobas 4800   | CE | Detected / Not<br>Detected | MB52  |
|--|--------------------------------------|---|--|----|----------------------------|---|
| 1016 Identification of cultured bacteria and fungi using non-nucleic acid based techniques01 Biochemical methods, CE marked commercial systems   | Organism<br>Identification **2, 3, 4 | Swabs, tissue, fluid, pus, faeces, urine, tips, IUCD. | Vitek 2 Compact and XL,<br>ID Kits   | CE | Organism ID                | GM69, GM39,<br>GM40, GM41,<br>GM42, GM43,<br>GM44, GM79,<br>GM110, CM38 and<br>CM76 |
| 1017 Measurement of antimicrobial activity and application of clinical interpretive criteria to general bacteria (rapidly growing aerobes)05 Other categories of organism (as specified) | Susceptibility Testing **1, 2, 3, 4  |   | Vitek 2 Compact and XL/ManualDisk diffusion/Minimum Inhibitory Concentration | CE | Variable                   | CM63, CM80  |
| 1029 Miscellaneous99<br>Miscellaneous tests  | Urine Dipstick **1, 2, 3, 4          | Urine   | Colorimetric   | CE | Variable                   | CM69  |

The laboratory has been awarded flexible scope in the P9 categories as noted in the scope document and in accordance with the laboratories approved and documented procedures.

- Note 1 Range may be extended for the test
- Note 2 New parameters / tests may be added
- Note 3 New matrices may be added

Note 4 – Changes to equipment / kits where the underlying methodology does not change For further details please refer to the laboratories 'Master list of Flexible scope changes', available directly from the laboratory.